

**BOLUS**

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
1	Sulphadiazine & Trimethoprim Bolus	Each uncoated bolus contains: Sulphadiazine 2000 mg, Trimethoprim 400 mg	5 Strips of 4 bolus in a carton box	Effective against infections of respiratory, alimentary, urinary and genital tracts
2	Sulphamethoxazole & Trimethoprim Bolus	Each uncoated bolus contains: Sulphamethoxazole 2000 mg, Trimethoprim 400 mg	5 Strips of 4 bolus in a carton box	Effective against Gram (+)ve and Gram (-)ve infections of all animals
3	Sulphadimidine Bolus	Each uncoated bolus contains: Sulphadimidine 5 gm	5 Strips of 4 bolus in a carton box	Systemic sulphonamide treatment
4	Tetracycline HCl Bolus	Each uncoated bolus contains: Tetracycline Hydrochloride 500 mg	5 Strips of 4 bolus in a carton box	For oral & Uterine use in domestic animals
5	Nitrofurazone & Urea Bolus	Each uncoated bolus contains: Nitrofurazone 60 mg, Urea 3.5 g	5 Strips of 4 bolus in a carton box	Prevention and treatment of uterine infections, retained placenta, metritis, cervicitis, vaginitis, in case of infertility and repeat breeding
6	Albendazole Bolus	Each uncoated bolus contains: Albendazole 2500 mg	5 Strips of 4 bolus in a carton box	Broad spectrum anthelmintic for treatment & control of all stages of gastrointestinal nematodes, lungworms, tape worms (heads & segments) & fluke infestations in animals
7	Albendazole Bolus	Each uncoated bolus contains: Albendazole 1500 mg	5 Strips of 4 bolus in a carton box	Broad spectrum anthelmintic for treatment & control of all stages of gastrointestinal nematodes, lungworms, tape worms (heads & segments) & fluke infestations in animals
8	Albendazole Bolus	Each uncoated bolus contains: Albendazole 600 mg	50 bolus tin	Broad spectrum anthelmintic for treatment & control of all stages of gastrointestinal nematodes, lungworms, tape worms (heads & segments) & fluke infestations in animals
9	Albendazole Bolus	Each uncoated bolus contains: Albendazole 150 mg	50 bolus tin	Broad spectrum anthelmintic for treatment & control of all stages of gastrointestinal nematodes, ungworms, tape worms (heads & segments) & fluke infestations in animals
10	Oxyclozanide Bolus 1g	Each uncoated bolus contains: Oxyclozanide 1 g	5 Strips of 4 bolus in a carton box	Treatment and control of fascioliasis and paramphistomiasis

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
11	Fenbendazole Bolus 150 mg	Each uncoated bolus contains: Fenbendazole BP Vet 150 mg	5 Strips of 4 bolus in a carton box	Indicated in infestations of mature and immature worms such as round worms, lung worms, tape worms
12	Fenbendazole Bolus 1.5 g	Each uncoated bolus contains: Fenbendazole BP Vet 1.5 g	5 Strips of 4 bolus in a carton box	Indicated in infestations of mature and immature worms such as round worms, lung worms, tape worms
13	Fenbendazole Bolus 3.0 g	Each uncoated bolus contains: Fenbendazole BP Vet 3.0 g	5 Strips of 4 bolus in a carton box	Indicated in infestations of mature and immature worms such as round worms, lung worms, tape worms
14	Colistin Bolus 150 mg	Each uncoated bolus contains: Colistin Sulphate 150 mg	5 Strips of 4 bolus in a carton box	Treatment of gastro-intestinal infections in non ruminant calves caused by non invasive Escherichia coli sensitive to Colistin subject to obtaining effective concentrations in the infectious site.
15	Oxyclozanide & Tetramisole HCl Bolus	Each uncoated bolus contains: Oxyclozanide 450 mg and Tetramisole HCl 450 mg	5 Strips of 4 bolus in a carton box	Fluke and Worm Bolus
16	Oxyclozanide & Tetramisole HCl Bolus	Each uncoated bolus contains: Oxyclozanide 1400 mg and Tetramisole HCl 2000 mg	5 Strips of 4 bolus in a carton box	Fluke and Worm Bolus
17	Oxyclozanide & Tetramisole HCl Bolus	Each uncoated bolus contains: Oxyclozanide 1400 mg and Tetramisole HCl 1000 mg	5 Strips of 4 bolus in a carton box	Fluke and Worm Bolus
18	Levamisole HCl Bolus 200 mg	Each uncoated bolus contains: Levamisole HCl 200 mg	5 Strips of 4 bolus in a carton box	Broad spectrum Anthelmintic
19	Levamisole HCl Bolus 300 mg	Each uncoated bolus contains: Levamisole HCl 300 mg	5 Strips of 4 bolus in a carton box	Broad spectrum Anthelmintic
20	Levamisole HCl Bolus 700 mg	Each uncoated bolus contains: Levamisole HCl 700 mg	5 Strips of 4 bolus in a carton box	Broad spectrum Anthelmintic
21	Levamisole HCl Bolus 1000 mg	Each uncoated bolus contains: Levamisole HCl 1000 mg	5 Strips of 4 bolus in a carton box	Broad spectrum Anthelmintic

**LIQUID****CATTLE**

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
1	Albendazole Suspension 2.5 % w/w	Each mL contains: Albendazole USP 25 mg	5000 ml, 1000 ml, 500 ml,	Broad spectrum anthelmintic for treatment & control of all stages of pastrointestinal nematodes, lungworms, tape words (heads & segments) & fluke infestations in animals
2	Albendazole Suspension 5 % w/w	Each mL contains: Albendazole USP 50 mg	5000 ml, 1000 ml, 500 ml,	Broad spectrum anthelmintic for treatment & control of all stages of pastrointestinal nematodes, lungworms, tape words (heads & segments) & fluke infestations in animals
3	Albendazole Suspension 10 % w/w	Each mL contains: Albendazole USP 100 mg	5000 ml, 1000 ml, 500 ml	Broad spectrum anthelmintic for treatment & control of all stages of pastrointestinal nematodes, lungworms, tape words (heads & segments) & fluke infestations in animals
4	Oxyclozanide Suspension 3.4 % w/v	Each mL contains: Oxyclozanide IP 34 mg	100 ml 500 ml 1000 ml	For treatment and control of fascioliasis and paramphistomiasis in cattle, bufaloe, sheep and goat
5	Oxyclozanide Suspension 2.265 % w/v	Each mL contains: Oxyclozanide 22.65 mg	100 ml 500 ml 1000 ml	Dewormer Suspension, 22.5%, is a broad-spectrum anthelmintic effective for the removal and control of the following parasites in cattle: lungworms, roundworms (including inhibited forms of <i>Ostertagia ostertagi</i> ) and tapeworms,
6	Levamisole HCl & Oxyclozanide Oral Suspension	Each mL contains: Levamisole HCl IP 15 mg Oxyclozanide IP 30 mg	100 ml 500 ml 1000 ml	Fluke and worm drench for cattle and sheep
7	Levamisole HCl & Oxyclozanide Oral Suspension	Each mL contains: Levamisole HCl IP 30 mg Oxyclozanide IP 60 mg	100 ml 500 ml 1000 ml	Fluke and worm drench for cattle and sheep

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
8	Fenbendazole Suspension 2.5 % w/v	Each mL contains: Fenbendazole BP 25 mg	100 ml 500 ml 1000 ml	Broad spectrum anthelmintic against mature and immature stages of gastrointestinal nematodes & lungworms in cattle, bufaloes, sheep, goats, horses, pigs and also against tape worms in sheep & goats
9	Fenbendazole Suspension 5.0 % w/v	Each mL contains: Fenbendazole BP 50 mg	100 ml 500 ml 1000 ml	Broad spectrum anthelmintic against mature and immature stages of gastrointestinal nematodes & lungworms in cattle, bufaloes, sheep, goats, horses, pigs and also against tape worms in sheep & goats
10	Fenbendazole Suspension 10 % w/v	Each mL contains: Fenbendazole BP 100 mg	100 ml 500 ml 1000 ml	Broad spectrum anthelmintic against mature and immature stages of gastrointestinal nematodes & lungworms in cattle, bufaloes, sheep, goats, horses, pigs and also against tape worms in sheep & goats
11	Piperazine Hexahydrate Oral Liquid 56.35 % w/v	Each mL contains: Piperazine Hexahydrate 563.5 mg	100 ml 500 ml 1000 ml	Gastro-intestinal nematodiasis
12	Triclabendazole Suspension 5 % w/v	Each mL contains: Triclabendazole 50 mg	100 ml 500 ml 1000 ml	Effective against trematodal infections (especially fasciola Hepatica)
13	Triclabendazole & Levamisole Hcl Suspension	Each mL contains: Triclabendazole 50 mg Levamisole HCl 37.5 mg	100 ml 500 ml 1000 ml	Effective against trematodal infections (especially fasciola Hepatica)
14	Triclabendazole & Ivermectin Suspension	Each mL contains: Triclabendazole 50 mg Ivermectin 1 mg	100 ml 500 ml 1000 ml	Effective against trematodal infections (especially fasciola Hepatica)
15	Closantel Suspension	Each mL contains: Closantel 150 mg	100 ml 500 ml 1000 ml	Against mature and immature stages of round worms, and liver flukes in live stock

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
16	Rafoxanide & Levamisole HCl Suspension	Composition: Rafoxanide IP (Vet) 3% w/v	100 ml 500 ml 1000 ml	Broad spectrum dewormer used in treatment & control of mixed worm infestations against mature and immature blood sucking nematodes and adult and young liver flukes
17	Diphenhydramine & Bromohexine Oral Suspension	Each 5 ml contains: Diphenhydramine HCl IP 8 mg, Bromohexine HCl IP 4 mg, Ammonium Chloride IP 100 mg, Sodium Citrate IP 50 mg	100 ml 500 ml 1000 ml	Poultry: Alongwith antibiotics for respiratory infections such as CRD, Coryza etc and to reduce mortality rate Cattle, sheep and goats: For treatment of RTI, such as Bronchitis, coryza, throat irritation, viscid material etc

## POULTRY

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
1	Enrofloxacin Oral Liquid	Each mL contains: Enrofloxacin 100 mg	5000 mL, 1000 mL, 500 mL	CRD, E-coli, salmonella, clostridium
2	Levofloxacin Oral Liquid	Each mL contains: Levofloxacin USP 100 mg	5000 mL, 1000 mL, 500 mL	CRD, E-coli, salmonella, clostridium
3	Diphenhydramine & Bromhexine Oral Liquid	Each 5 ml contains: Diphenhydramine HCl IP 8 mg, Bromohexine HCl IP 4 mg, Ammonium Chloride IP 100 mg, Sodium Citrate IP 50 mg	100 mL, 200 mL, 500 mL	Poultry: Alongwith antibiotics for respiratory infections such as CRD, Coryza etc and to reduce mortality rate Cattle, sheep and goats: For treatment of RTI, such as Bronchitis, coryza, throat irritation, viscid material etc
4	Fenbendazole Suspension 2.5 % w/v	Each ml contains: Fenbendazole BP (Vet) 25 mg	1000 mL, 500 mL, 90 mL	Broad spectrum anthelmintic against mature and immature stages of gastrointestinal nematodes & lungworms in cattle, buffaloes, sheep, goats, horses, pigs and also against tape worms in sheep & goats

**POWDER****CATTLE**

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
1	Albendazole Oral Powder	Each Gram Contains: Albendazole IP 50 mg	300 g	Highly effective against mature and immature stage of round worms. Tape worms, lungworms and flukes in cattle, horse, sheep, goat, pig and dog.
2	Fenbendazole Oral Powder 25 % w/w	Each Gram Contains: Fenbendazole BP (Vet) 250 mg	120 g 500 g	Effective against gastrointestinal nematodes and cestodes in cattle, buffalo, sheep and goat. Act against larvae development stages and adults
3	Levamisole HCl Oral Powder 30 % w/w	Each Gram Contains: Levamisole HCl IP 300 mg	500 g 100 g	Indicated against mature and immature stages of round worms in cattle, sheep, goat, horse and poultry

**POULTRY**

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
1	Ciprofloxacin Oral Powder 10 % w/w	Each Gram Contains: Ciprofloxacin HCl IP Eq. to Ciprofloxacin 100 mg	100 g, 500 g	Colicepticaemia, Infectious Coryza, Salmonella infections, CRD, fowl cholera
2	Oxytetracycline HCl Oral Powder 30 % w/w	Each Gram Contains: Oxytetracycline HCl IP 300 mg Sodium methyl paraben IP 0.5 mg	100 g, 500g	In early chick mortality, fowl typhoid, fowl cholera, infectious coryza, E.coli infections, enteric infections, respiratory infections, CRD and complicated mycoplasmosis
3	Sulphadiazine & Trimethoprim Oral Powder	Composition: Sulphadiazine BP (Vet) 10% w/w Trimethoprim BP (Vet) 2% w/w	100 g, 750 g	Bacterial scour, diarrhoea, enteritis, pleuracy, pneumonia, bronchitis, endometritis, pyometra, repeat breeding, retention of placenta in cattle, horses, pigs, sheep, goats, dogs & cats, Poultry: To prevent early chick mortality, BWD, CRD, coryza, colicepticaemia, and respiratory infections

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
4	Fenbendazole Oral Powder 25 % w/w	Each Gram Contains: Fenbendazole BP (Vet) 250 mg	120 g 500 g	Effective against gastrointestinal nematodes and cestodes in cattle, buffalo, sheep and goat. Act against larvae development stages and adults

**INJECTION**

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
1	Oxytetracycline Injection 5 % w/v	Each ml contains: Oxytetracycline Hydrochloride BP Eq. to Anhydrous Oxytetracycline 50 mg.	Vial of 30, 50, and 100 ml.	Cattle: For the treatment of heartwater, anaplasmosis, pneumonia, footrot, joint-ill, navel-ill, pink eye (infectious bovine keratoconjunctivitis). Sheep and goats: For the treatment of heartwater, pneumonia, footrot, joint-ill and navel-ill. Pigs: For the treatment of pneumonia, joint-ill and navel-ill.
2	Oxytetracycline Injection 10 % w/v	Each ml contains: Oxytetracycline Hydrochloride BP Eq. to Anhydrous Oxytetracycline 100 mg.	Vial of 30, 50, and 100 ml.	Cattle: For the treatment of heartwater, anaplasmosis, pneumonia, footrot, joint-ill, navel-ill, pink eye (infectious bovine keratoconjunctivitis). Sheep and goats: For the treatment of heartwater, pneumonia, footrot, joint-ill and navel-ill. Pigs: For the treatment of pneumonia, joint-ill and navel-ill.
3	Oxytetracycline Injection 20 % w/v	Each ml contains: Oxytetracycline Hydrochloride BP Eq. to Anhydrous Oxytetracycline 200 mg.	Vial of 30, 50, and 100 ml.	Cattle: For the treatment of heartwater, anaplasmosis, pneumonia, footrot, joint-ill, navel-ill, pink eye (infectious bovine keratoconjunctivitis). Sheep and goats: For the treatment of heartwater, pneumonia, footrot, joint-ill and navel-ill. Pigs: For the treatment of pneumonia, joint-ill and navel-ill.

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
4	Sulphadimidine Sodium Injection 33 % w/v	Each ml contains: Sulphadimidine Sodium B.P (vet) 330 mg	Vial of 100 ml.	Gastrointestinal, respiratory and urogenital infections, mastitis and panarthritis caused by sulfadimidine sensitive micro-organisms, like <i>Corynebacterium</i> , <i>E. coli</i> , <i>Fusobacterium necrophorum</i> , <i>Pasteurella</i> , <i>Salmonella</i> and <i>Streptococcus</i> spp. in calves, cattle, goats, sheep and swine.
5	Butaphosphan & Cyanocobalamin injection	Each ml contains: Butaphosphan 100mg Cyanocobalamin 50µg (vitamin B12)	Vial of 100 ml.	For use with disorders caused by poor nutrition and inadequate management, disorders in development and nutrition of young animals. Tonic in cases of weakness, secondary anaemia, exhaustion and chilling. Improvement of muscular efficiency, especially in working, sports and breeding animals.
6	Ivermectin Injection	Each ml contains: Ivermectin 10 mg	Vial of 30, 50, and 100 ml.	Treatment of gastrointestinal roundworms and lungworm infections, lice, oestriasis and scabies in calves, cattle, goats, sheep and swine.
7	Ivermectin & Clorsulon Injection	Each ml contains: Ivermectin 10mg Clorsulon 100 mg	Vial of 30, 50, and 100 ml.	Treatment of gastrointestinal roundworms (adults and fourth-stage larvae), lungworms (adults and fourth-stage larvae), liver fluke ( <i>Fasciola hepatica</i> and <i>F. gigantica</i> ; adult stages), eye worms, warbles (parasitic stages), sucking lice and mange mites (scabies) in beef cattle and non-lactating dairy cattle.
8	Multivitamin Injection	Each ml contains: Vitamin A BP 250000 IU (As Palmitate) Vitamin D3 BP 25000 IU Vitamin E Acetate BP 100 IU Biotin USP 12.5 mcg. Benzyl Alcohol 2% W/V (As Preservative) Sesame Oil USP Q.S	Vial of 50 and 100 ml.	Prevention or treatment of vitamin deficiencies in animals.

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
9	Multivitamin Injection	Content: Thiamine HCL BP 10 mg. Pyridoxine HCL BP 5 mg. Cyanocobalamine USP 10 mcg. Riboflavin Sod. Phos. BP 5 mg. Niacinamide BP 10 mg. D-Panthenol BP 1 mg. Biotin USP 10 mcg. Cholinechloride USP 5 mg. Vitamin A BP 1000 IU. Vitamin D3 BP 500 IU. Vitamin E BP 5 mg. Sodium Acid Phos. IP 5 mg. Phenol IP 0.5% W/V	Vial of 50 and 100 ml.	Prevention or treatment of vitamin deficiencies in animals.
10	Multivitamin Injection	Content: Thiamine HCL BP 10 mg. Riboflavin BP 3 mg. Niacinamide BP 100 mg. Vitamin B12 USP 10 mcg. Liver Injection Crude 0.66 ml (Having vitamin B12 activity Eq to 2 mcg of Cyanocobalamin per ml) Water for Injection USP Q.S	Vial of 50 and 100 ml.	Prevention or treatment of vitamin deficiencies in animals.
11	Ampicillin Injection	Each ml contains: Ampicillin trihydrate eq. 200 mg Ampicillin	Vial of 50 and 100 ml.	For the treatment of infections caused by ampicillin sensitive germs: septicaemias, otitis media, polyarthritis, metritis, and principally gastro-intestinal infections, pneumonias, infections of the respiratory and urinary tract.
12	Colistin Sulphate Injection	Each ml contains: Colistin Sulphate 2.5 mg	Vial of 50 and 100 ml.	Treatment of infections caused by strains sensitive to Colistin, especially Escherichia coli and Salmonella subject to obtaining effective concentrations in the infectious site media, polyarthritis, metritis, and principally gastro-intestinal infections, pneumonias, infections of the respiratory and urinary tract..

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
13	Enrofloxacin Injection	Each ml contains: Enrofloxacin 100 mg	Vial of 50 and 100 ml.	Treatment of respiratory tract infections, gastrointestinal tract infections, septicaemia, acute mycoplasma arthritis, polyarthritis, metritis, and principally gastro-intestinal infections, pneumonias, infections of the respiratory and urinary tract..
14	Gentamicin Injection	Each ml contains: Gentamicin (in the form of Gentamicin sulphate) ... 50 mg	Vial of 50 and 100 ml.	Infections of the respiratory tract, urogenital tract, gastrointestinal infections, in skin and ear infections, in joint infections caused by Staphylococcus sp., Pseudomonas aeruginosa.

**SACHETS**

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
1	Diminazene Diacetate & Phenazone Granule for Injection	Each Gram Contains: Diminazene Diacetate 0.445 g Phenazone 0.555 g	Sachet 2.36 g & 23.6 g	Treatment of babesiosis, piroplasmiasis and trypanosomiasis in camels, cattle, cats, dogs, goats, horses, sheep and swine.
2	Diminazene Diacetate, Phenazone & Cyanocobalamin granule for injection	Each Gram Contains: Diminazene Diacetate 445 mg Phenazone 554.576 mg Cyanocobalamin (Vit B12) 0.424 mg	Sachet 2.36 g & 23.6 g	Treatment of babesiosis, piroplasmiasis and trypanosomiasis in camels, cattle, cats, dogs, goats, horses, sheep and swine.
3	Diminazene Diacetate, Phenazone & Cyanocobalamin granule for injection	Each Gram Contains: Diminazene Diacetate 445 mg Phenazone 554.576 mg Cyanocobalamin (Vit B12) 0.424 mg	Sachet 2.36 g & 23.6 g	Treatment of babesiosis, piroplasmiasis and trypanosomiasis in camels, cattle, cats, dogs, goats, horses, sheep and swine.
4	Isometamidium Chloride powder for injection	Each Gram Contains Isometamidium Chloride Hydrochloride 1000 mg	Sachet 1.0 g	Indicated for treatment and prevention of trypanosomiasis caused by Trypanosoma spp. in cattle, goats, sheep, camels, horses and dogs. A preventive dosage ensures protection for 2 to 4 months. When clinical cases occur, the whole group should be treated.

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
5	Quinapyramine Sulphate powder for injection	Each Gram Contains: Quinapyramine Sulphate 3.0 g	Sachet 125 mg	Treatment of trypanosomiasis in camels, cattle, cats, dogs, goats, horses, sheep and swine.

**FEED SUPPLEMENTS****BOLUS**

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
1	Feed Supplements Bolus	Each bolus contains: Yeast 300 mg Probiotics 500 mg Liver stimulants 500 mg	5 x 4 bolus str, 8 bolus & 25 bolus tins	Better rumen microflora, To improve productivity, Post antibiotic / anthelmintic therapy, For faster recovery from illness & debility, To promote growth in calves & Antistress agent
2	Feed Supplements Bolus	Each bolus contains: Vitamin B12 50 mcg Inositol 50 mg Amino Acids 100 mg Selenium 50 mcg Vitamin E 20 mg Liver Stimulants 75 mg Tricholine Citrate 100mg Copper 10 mg Cobalt 30 mg	6 's x 24, 1 x 8 , 5 x 4 bolus str, 8 bolus & 25 bolus tins	To improve rumen function, For better digestion, To prevent anorexia and indigestion

**LIQUIDS**

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
1	Feed Supplements Liquids	Each 5 ml contains: Vitamin B2 1.25 mg, Vitamin B6 0.65 mg, Vitamin B 12 6.25 mcg, Cobalt Sulphate 85 mcg, Manganese Sulphate 45 mcg, Zinc Sulphate 110 mcg, Niacinamide 37.50 mg, D-Panthenol 1.25 mg, L-Lysine 5.00 mg, DL-Methionine 7.50 mg, Energy base QS.	1000 ml & 5 Ltr	To overcome B complex deficiencies, IN all stress conditions, For better growth and production, For normal development of feathers

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
2	Feed Supplements Liquids	Each 20 ml contains: Soluble calcium salts 500 mg phosphorus 100 mg Vitamin D3 1200 IU Vitamin B12 3 mcg Manganese 2 mg Zinc 500 mcg Cobalt 400 mcg Iron 10 mg Base QS	500 ml, 1000 ml, 5000 ml	For sturdy bones and thick shells
3	Feed Supplements Liquids	Liver stimulants, Potassium and sodium salts, Digestives, Nephrotic tissue stimulants	1000 ml, 5 ltr, 200 ml, 500 ml, 1000 ml, 5000 ml	To improve liver and kidney functions, For better weight gain and production, For improved FCR, During production slumps
4	Feed Supplements Liquids	Each 200 ml contains: Vitamin E 12.5%, Selenium 25 mg, Arginine 1.25 gm	200 mL	Enhanced immunity and better vaccine response, Enhanced productivity, Uniform productive performance
5	Feed Supplements Liquids	Each 100 ml contains: Amino Acids: MHA 50 mg, Lysine: 30 mg, Arginine: 10 mg, Threonine: 20 mg, Choline: 100 mg, Vitamins: D3: 5 mg, B12: 5 mg, B6:15 mg, B1:10 mg, Niacinamide: 20 mg, Chelated Minerals: Manganese Methionate: 100 mg, Magnesium Methionate: 125 mg, Zinc Methionate: 200 mg, Ferrous Methionate: 150 mg, Copper Methionate: 50 mg, Cobalt Methionate: 150 mg, Chromium: 10 mg, Phosphorus:10 gm	500 ml, 1000 ml 5000 ml	To bridge the nutritional gap in all production related deficiencies, In conditions of stress, weakness, production drop & fluctuation, uneven flock weight etc
6	Feed Supplements Liquids	Each 10 ml contains: Sodium Salicylate : 500 mg Potassium Chloride : 500 mg Pure Amla Extract : -150 mg Protein Hydrolysate : -550 mg , Magnesium Sulphate : - 60 mg .	1000 ml & 5 Ltr	Relief from stress

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
7	Feed Supplements Liquids	Each 15 ml contains: Elemental iron 135 mg, Vitamin B12 150 mcg, Vitamin B6 15 mg, Folic acid 3.75 mg, Potassium chloride 30mg, Sodium chloride 50 mg, Vitamin K3 15 mg, Copper sulphate 100 mg, Cobalt sulphate 30 mg	500 ml, 1000 ml, 5000 ml	For better blood formation, Reduction in Hb concentration, Lower O2 carrying capacity
8	Feed Supplements Liquids	Each kg contains: Elemental iron 27000 mg, Vitamin B12 5000 mcg, Vitamin B6 1000 mg, Folic acid 1500 mg, Potassium chloride 10000 mg, Sodium Chloride 20000mg, Vitamin K 1000 mg, Copper Sulphate 10000 mg, Cobalt Sulphate 2000 mg, enriched with Liver stimulants	10 kg	For better blood formation, Reduction in Hb concentration, Lower O2 carrying capacity, During fatty liver syndrome and liver dysfunctions
9	Feed Supplements Liquids	Each 10 ml contains: Tricholine Citrate 1500mg, Vit B 12: 4 mcg, Inositol: 10 mg, Vit E: 20 mg, Selenium: 7 mcg, Protein Hydrolysate 100 mg, Methyl donor: 66 mg, Biotin: 6 mcg, Copper: 10 mg, Cobalt: 5 mg, Iron: 15 mg liver stimulants	100 ml, 500 ml, 1000 ml, 5000 ml	For better utilisation of feed, Increased liver functions, For maintenance of body weight in breeders, Cattle: For prevention of primary and secondary anorexia, During indigestion, To improve rumen function
10	Feed Supplements Liquids	Each 20 ml contains: Vitamin E: 60 mg, Vitamin C 75 mg, Amino Acids: 150 mg, , L arginine 80mg, Antioxidants 5 mg. Se 10 mcg, Manganese Sulphate: 15 mg, Amla, Philanthus Niruri and Withania Somnifera: 3.25mg, Spirulina 20 mg	500 ml, 1000 ml, 5000 ml	To improve CMI and Humoral immunity, For better Vaccine response
11	Feed Supplements Liquids	Each ml of Lipochol contains Choline chloride 75%	1ltr, 5ltr & 22 ltr	
12	Feed Supplements Liquids	Herbal extract, Nephrotic tissue stimulants, Digestives, Liver stimulants, Diuretics	1ltr & 5 ltr	Prevention of govt, Prevent kidney damage

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
13	Feed Supplements Liquids	Phosphorus, Vitamin D3, Vitamin B12, Vitamin B6, Folic Acid, Choline, Pantothenic Acid, Manganese, Zinc, Base: QS	500 ml, 1000 ml, 5000 ml	For better calcium metabolism
14	Feed Supplements Liquids	Tylosin tartarate - 100 mg, Antimicrobials - 120mg, Bromhexine - 20 mg B-Complex Vitamins.	200 ml 500 ml & 1ltr	Reduced the serverity of bacteremia and other bacterial complications associated with respiratory tract infections.
15	Feed Supplements Liquids	Each 20 ml contains: Soluble calcium salts 500 mg Phosphorus 100 mg Vitamin D3 1200 IU Vitamin B12 3 mcg Manganese 2 mg Zinc 500 mcg Cobalt 400 mcg Iron 10 mg Base QS	500 ml, 1000 ml, 5000 ml	For sturdy bones and thick shells
16	Feed Supplements Liquids	Lactic acid, Formic Acid, Fumaric acid, Calcium Propionate, Acetic Acid, Citric Acid, Sodium citrate, Essential oil.	1 ltr & 5 ltr	
17	Feed Supplements Liquids	vitamin B2 -1.25 mg Vitamin B6-0.65 mg Vitamin B12 - 6.25 mcg, Niacinamide - 37.5 mg, D-Panthenol - 1.25 mg, Lysine -5mg, Methionine -7.50 mg, Cobalt Sulphate - 85 mcg, Manganese Sulphate - 45 mcg, Zinc Sulphate - 110 mcg.	1000 ml & 5000 ml	To overcome B-complex deficiencies, In all stress conditions, For better growth and productuion, For normal development of feathers
18	Feed Supplements Liquids	Vitamin B1-500 mg, Vitamin B2 - 250 mg, Vitamin B6 - 130 mg, Vitamin B12 -1250 mcg, Niacinamide - 7500 mg, D-Panthenol - 250 mg, Lysine - 1000 mg, Methionine - 500 mg	50 g & 250g	To overcome B-complex deficiencies, In all stress conditions, For better growth and productuion, For normal development of feathers
19	Feed Supplements Liquids	Vitamin B 2 - 6.25 mg, Vitamin B6 - 3.25 mcg, Vitamin B12 - 31.25 MCG, Niacinamide - 187.50 mcg, D - Panthenol - 6.25 mg Lysine - 25 mg	1000 mL	To overcome B-complex deficiencies, In all stress conditions, For better growth and productuion, For normal development of feathers

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
20	Feed Supplements Liquids	Each 5 ml contains: Vitamin A 60000 IU, Vitamin E 150 mg, Vitamin D3 25000 IU, Vitamin B12 20mcg, Vitamin C 200 mg, Selenium 10 PPM, Biotin 15 mcg, Zinc 20mg, Lysine 10 mg, Methionine 5 mg, Sodium Chloride 10 mg, Potassium Chloride 8 mg, Cholagogue agents 800 mcg, Preservatives and carriers QS	½ ltr, 1000 ml	For better health and increased disease resistance, During stress, During drop in production, & suppressed growth, As Vitamin Supplement
21	Feed Supplements Liquids	Vitamin A - 50000 IU, Vitamin E - 30 mg, Vitamin D3 - 5000 IU, Vitamin C - 100 mg, Arginine - 5mg, Threonine - 5 mg Cholagogue QS	500 ml & 1000 ml	During early chick stage, For improved immunity and health, To overcome ill effects of stress, During drop in production & suppressed growth and As vitamin supplement
22	Feed Supplements Liquids	Each 20 ml contains: Soluble calcium salts 350 mg, Phosphorus: 175 mg, Vitamin D3: 1600 IU, Vitamin B12: 20 mcg	200 ml, 500 ml, 1000 ml, 5000 ml	Calcium and phosphorus supplementation
23	Feed Supplements Liquids	Liver Stimulants, Potassium & Sodium Salts, Digestives & Cholagogue Agents	200 ml, 500 ml, 1000 ml, 5000 ml	During anorexia, Indigestion, For stimulation of liver and kidney, During Stress & During metabolic disorders
24	Feed Supplements Liquids	Each 15 ml contains: Elemental iron - 135 mg, Vitamin B12 - 150 mg, Vitamin B12 - 15 mg, Folic acid - 3.75 mg, Potassium Chloride - 30 mg, Sodium Chloride - 50 mg, Vitamin k3 - 15 mg, Copper Sulphate - 100 mg Cobalt Sulphate - 30 mg.	100 ml, 500 ml, 1000 ml, 5000 ml	During anemic conditions and worm infestations, As iron & other blood forming vitamin & mineral supplement & Supportive therapy in pyrexia & bacterial infections.
25	Feed Supplements Liquids	Each 20 ml contains: Vitamin E - 60 mg, Vitamin C - 75 mg, Aminoacids - 150 mg, Milk Proteins - 40 mg, Omega Fas - 5mg, Sodium Chlorides - 35 mg , Selenium - 10 mcg Manganese Sulphate - 15 mg. Amla, phyllanthus niruri & Withania somnifera - 65 mg & Stabilisers qs.	200 ml, 500 ml, 1000 ml & 5000 ml	

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
26	Feed Supplements Liquids	Each 5 ml contains: Niclosamide - 500 mg, Albendazole - 150 mg, Sodium Chloride - 10 mg, Potassium Chloride - 15 mg, Magnesium Sulphate - 2.5 mg, Copper Sulphate - 5 mg, Cobalt Sulphate - 7.5 mg, Vitamin B12 - 10 mcg Colour: Tartrazine Supra.	200 ml, 500 ml & 1000 ml	Mature and Immature amphistomes, Liverflukes, Adult, Tapeworms, Roundworms and Lungworms of livestock and poultry.
27	Feed Supplements Liquids	Each 20 ml contains: Soluble calcium salts:350 mg, Phosphorus: 175 mg, Vitamin D3: 1600 IU, Vitamin B12: 20 mcg	200 ml, 500 ml, 1000 ml, 5000 ml & 22 ltrs	Calcium and phosphorus supplementation
28	Feed Supplements Liquids	Each 5 ml contains: Vitamin A - 60000 IU, Vitamin D3 - 25000 IU, Vitamin C- 200 mg, Biotin - 15 mcg, Lysine - 10 mg, Sodium chloride - 10 mg, Cholagogue agents - 800 mcg, Vitamin E - 150 mg, Vitamin B12 - 20 mcg, Selenium - 10 ppm, Zinc - 20 mg, Methionine - 5 mg, Potassium chloride - 8 mg Preservatives & carriers qs	100 ml & 1000 ml bottles	As an aid in treatment of certain skin conditions, To overcome fat soluble vitamin deficiencies, For better health & improved disease resistance resistance & During stress.

## POWDER &amp; PREMIX

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
1	Feed Supplements powder	Alpha amylase, cellulase, Beta-glucanase, Hemicellulase, Pectinase, Beta-mannanase, Xylanase, Lipase, Protease, Phytase and trace minerals	100 g, 300 g, 5 Kg & 10 kg	For improved quality and quantity of milk
2	Feed Supplements powder	Each 5 gm contains: Saccharomyces cerevisiae 100 billion CFU	5 g pouch	

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
3	Feed Supplements powder	Acetyl salicylic acid , Vitamin C, Zinc, Potassium iodate, Glutamic acid, Fatty acid and Calcium Gluconate	100 g & 500 g	Promotes the healing of Aphthous lesions (Oral ulcers), stomatitis, vesicular eruptions, Prevents panting, railing associated with high fever during FMD & Aids in optimal function of the endocrine functions which gets disturbed during FMD.
4	Feed Supplements powder	Bio Technologically derived Lucerne : Containing highly bio available protein - 22 % ,Calcium - 1%, Phosphorus - 0.20%,Organic Trace Minerals Containing : Cobalt - 0.23%, Copper - 2.80%,Iodine - 0.56%, Iron - 0.56%,Manganese - 2.24% , Selenium - 0.02% & Zinc - 1.12 % .	200 gm pouch	To optimizes trace mineral level in the body and improves productivity.
5	Feed Supplements powder	Each 10 gm contains: Vitamin B12: 100 mcg, Inositol: 100 mg, Amino Acids: 200 mg, Selenium: 100 mcg, Vitamin E: 40 mg, Liver Extract: 150 mg, Tricholine citrate:300 mg, Copper: 30 mg, Cobalt: 70 mg, Ferrous: 20 mg	10 g & 100 g	For prevention of primary and secondary anorexia, During indigestion, to improve rumen functions
6	Feed Supplements powder	Each 1.2 kg has nutritional value of : Calcium - 215 g, Sulphur - 7.2 g, Phosphoroud - 127.5 g, Potassium - 100 mg, Magnesium - 6g, Selenium - 10 mg, Iron - 1.5mg, Vitamin A - 700000 IU, Iodine - 325 mg , Vitamin D3 - 70000 IU, Copper -1200 mg, Vitamin E - 250 mg, Zinc - 12 g, Nicotinamide - 1000 mg, Cobalt - 150 mg & Enzymes - 50 gm.	1.2 kg	Optimizes milk yield and milk fat, Maintains overall health to achieve optimum yield, Enhances growth and also improves digestion.

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
7	Feed Supplements powder	Each kg contains: Copper Sulphate:1666 mg, Cobalt Sulphate: 33 mg, Manganese Sulphate: 3332 mg, Zinc Sulphate: 6054 mg, Ferrous Sulphate: 2500 mg, Saccharomyces cerevesae 100 billion CFU, Calcium: 240 g, Phosphorus: 90 g, Iodine: 47.6 mg, Vitamin A:200000 IU, Vitamin D3 20000 IU, Vitamin E: 250 mg, Bypass Fat: 100 g, Enzymes: 50 g	150 g, 1 kg, 5 kg & 25 kg	Optimises milk yield, maintains overall health of animal, improves reproductive performance, In conditions of Micro and Macro mineral deficiency
8	Feed Supplements powder	Each 100 g contains: Oxytetracycline HCl - 3%, Neomycin Sulphate - 3%, Probiotics - 1%, Aminoacids - 5%, Vitamin A - 4lakh IU, Menadione sodium - 1500 mg, Bisulphite -Vitamin E - 2000 IU, Electrolytes - 5% Dextrose Qs.	100 g & 500 g	As a supportive therapy for pneumonia, joint ill, Septicaemia, Contagious Caprine Pleuro - Pneumonia, scours, and mastitis. To prevent secondary infections following parturition, Surgical Operations & injuries.
9	Feed Supplements powder	Calcium: 24%, Phosphorus: 9%, Manganese Sulphate: 0.2%, Potassium Iodide: 0.02%, Sodium Chloride: 30%, Ferrous Sulphate: 0.6%, Cobalt Sulphate:0.02%, Copper Sulphate:0.5%, Zinc Sulphate: 0.2%, Selenium: 0.05Mcg, Molybdenum: 0.00125Mcg	1 kg, 25 kg	To prevent deficiency of minerals, In conditions of Micro & Macro Mineral deficiency, To increase Milk yield, To maintain overall health of animal and to achieve optimum yields
10	Feed Supplements powder	Cellulase, Pectinase, Xylanase, Phytase	500 gm & 25 kg	Improved productive performance, Uniform growth, reduce the feed consumption by releasing hidden ME and Aminoacids
11	Feed Supplements powder	Cellulase, Pectinase, Xylanase, Phytase, Pancreatin and Vitamin D3.	25 kg	Improved weight gain & FCR, in Broilers, Uniform growth and Improved litter quality.

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
12	Feed Supplements powder	Each kg contains: Amprolium 200 gm, Vit K3: 10 gm, Gallacturonic Acid; 10 gm	100 g & 1 kg	In coccidiosis caused by : E tenella, E acervulina, E maxima, E mivati, E necatrix, E brunetti etc
13	Feed Supplements powder	Methyl donors 100%	1 kg, 4 kg, 25 kg	As a complete replacement of methionine in Layers
14	Feed Supplements powder	Colistin Sulphate, Trimethoprim, Lactobacillus Sporogenes, Elemental Zinc Phytoactive principles containing Carvacrol and Cinnamaldehyde.	100g & 500 g	Infections caused by Colistin and Trimethoprim sensitive micro - organisms like E. coli, Haemophilus, Pasteurella, Salmonella, Staphylococcus and Streptococcus spp.in poultry.
15	Feed Supplements powder	Herbal extract, Nephrotic tissue stimulants, Digestives, Liver stimulants, Diuretics	500 g	Prevention of gout, During renal inefficiency, During metabolic disorders
16	Feed Supplements powder	Lincomycin HCl : 0.88%, Neomycin Sulphate - :5%	1 kg & 25 kg	Maintains gut integrity & Improves respiratory health, Enhances growth & FCR.
17	Feed Supplements powder	Neomycin Sulphate base – 15 % w/w	1 kg	Effectively controls Colibacillosis, Bacterial Enteritis and Diarrhoea
18	Feed Supplements powder	Each kg contains: Oxytetracycline HCl 12250 mg, Neomycin Sulphate 10000 mg, Probiotics 60000 MS and base treated with acidifiers	1 kg & 5 kg	Better Livability, To attain uniform growth, For better first week weight gain
19	Feed Supplements powder	Each 250 gm contains: Oxytetracycline HCl 3%, Neomycin Sulphate 3%, Probiotic 1%, Vitamin A10 Lakh IU, Amino Acids 5%, Vitamin K3: 3750 mg, Vitamin E 5000 IU, Vitamin C 5%, Electrolytes 5%, Dextrose QS	50 g & 250 g	As a complete chick care supplement, Better livability, To attain uniform growth, For better first week weight gain
20	Feed Supplements powder	Each 20 gm contains: Sodium Chloride: 300 mg, Potassium Chloride: 1000 mg, Glycine: 75 mg, Lactic Acid Bacteria: 120 x 10 <sup>6</sup> , Manganese Sulphate: 250 mg, Magnesium Sulphate: 30 mg, Sodium Bi carbonate:2000 mg, Sodium Citrate: 350 mg, Vitamin C: 100 mg, Calcium Hypophosphite: 100 mg,	200 g, 1 kg & 10 kg	Advised during: Summer Stress, 1st Week of chick's life, Prior to & after transportation

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
21	Feed Supplements powder	Pure Extract of amla	100 g	Summer Stress
22	Feed Supplements powder	Each 100 gm contain: Diaverdine 3.3 g Sulphaquinoxaline 18.7 g Vitamin K3 1 g	100 g	For early and effective control of intestinal and caecal coccidiosis
23	Feed Supplements Premix	Each Gram provides: Vitamin B1: 8 mg, B6: 16 mg, B12:80 mcg, Vitamin E:45 mg, Calcium Pantothenate:30 mg, Niacin:120 mg, Active Live Yeast: 600 mu, Lactobacillus: 20 ms, Elemental Calcium:130 mg, Folic Acid:2 mg Elemental Phosphorus: 6 mg	1 kg	Improves general health, Improves Immunity, Enhances hatchability, Improved feed consumption and utilisation, Overcomes B Complex deficiency
24	Feed Supplements Premix	Each 50 gm contains: Vit B1- 500 mg, Vit B2- 250 mg, Vit B 6- 130 mg, Vit B 12-1250 mcg, Niacinamide 7500 mg, D panthenol 250 mg, Lysine 1000 mg, ethionine 500 mg, Copper 75 mg, Cobalt 10 mg, Zinc 30 mg, Iron 40 mg, Manganese 50 mg, Iodine 5 mg	250 g	To overcome B complex deficiencies, IN all stress conditions, For better growth and production, For normal development of feathers
25	Feed Supplements Premix	Vitamin A - 15MIU, Vitamin D3-4MIU, Vitamin E -75gm, Vitamin K3 - 4gm, Vitamin B1 -4gm, Vitamin B6 -gm, Vitamin B2-20gm, Vitamin B12 -0.03GM, Niacin - 60gm, Cal C - 30 gm, Folic Acid -4gm, Biotin - 0.2 gm, Yeast - 250000 CFU, Sorbitol - 10000 mg.	500 g	Vitamin Supplement

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
26	Feed Supplements Premix	Prebiotics, Probiotics, pH Regulators, Enzymes	500 g, 1 kg	As a replacement for antibiotics in prophylaxis. Prevention of enteric infections. As a growth promoter. For faster recovery and performance after any antibiotic treatment, deworming and coccidiosis. For reduction of the incidence of necrotic enteritis. Highly useful where the intestines are not fully mature.
27	Feed Supplements Premix	Each 250 gm contains: Zinc Sulphate:2500 mg, Manganese Sulphate:1500 mg, Vitamin A: 12500000 IU, Vitamin B2: 5000 mg, Vitamin D3:2500000 IU, Vitamin K3: 1000 mg, Vitamin B1: 800 mg, Vitamin B6: 1600 mg, Vitamin B12:25000 mcg, Niacin: 12000 mg, Biotin: 10000 mcg, Calcium Pantothenate: 8000 mg, Vitamin E: 8000 IU, Folic Acid: 800 mg, Yeast: 250000 CFU, Sorbitol: 10000 mg	250 g	Vitamin Supplement
28	Feed Supplements Premix	Phytase, Calcium, Phosphorus, Vitamin D3 in a base enriched with Minerals	10 kg & 25 kg	Calibrated Calcium Premix with Vitamin D3 and Phytase, Improves bone strength, egg shell quality, health, growth, production and profits, Optimises phosphorus intake, utilisation and calcium phosphorus ratio, prevents calcium drain and acid base imbalance
29	Feed Supplements Premix	Contents: HSCAS and mold inhibitors treated with Yeast and Proteins	25 kg	To prevent fungal growth and to reduce intestinal pH, To bind toxins, To bind toxins, To promote growth
30	Feed Supplements Premix	Unique nutritional formulation with selected enzymes and DFMs	450 g 5 kg, 10 kg & 25 kg	To control wet litter and fly menace
31	Feed Supplements Premix	Contents: Liver stimulants, Potassium and sodium salts, Digestives, Nephrotic tissue stimulants	25 kg	To improve liver and kidney functions, For better digestion, For better weight gain and production, For improved FCR, During production slumps

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
32	Feed Supplements powder	Ciprofloxacin : 7.5% Enrofloxacin : 2.5% Colistin Sulphate : 0.25% Zinc :1% Vitamin C : 5%	1 ltr, 5 ltr, premix 25 kgs	For gastrointestinal and respiratory tract infections caused by colistin and Fluoroquinolone Sensitive MICRO -Organisms Like Mycoplasma, E. Coli, Pasteurella and Salmonella SPP in poultry.
33	Feed Supplements Premix	Ciprofloxacin : 2.0 % Enrofloxacin : 4.5% Colistin Sulphate : 0.25% Herbal Extract : 5%	25 kg	For gastrointestinal and respiratory tract infections caused by colistin and Fluoroquinolone sensitive micro-organism like Mycoplasma, E.coli, Pasteurella and Salmonella spp. In poultry
34	Feed Supplements Premix	Tricholine citrate, Protein Hydrolyste, Vitamin B12, Inositol, Vitamin E, Biotin, Selenium, Methyl Donors, in a base enriched with liver stimulants, Mould inhibitors and toxin binders	1 kg, 10 kg, 25 kg	For Broilers: better Weight gain and FCR, For Breeders: Optimum prelay body weight, Uniform growth/production For Layers: Optimum prelay body weight, Sustained peak production, Uniform production without fluctuations
35	Feed Supplements Premix	VitE, Larginine, MgSo4, ZnSo4, Antioxidants, Se, Spirulina, Withania and Emblica	10 kg	During heat stress: For improved physiological condition, For better production & weight gain
36	Feed Supplements Premix	Comprises Ethoxyquin, Butylated Hydroxytoluene, Propyl Gallate and Citric Acid in appropriate proportions.	1 kg & 10 kg	Oxiguard also exerts control in the propagation phase of the oxidation process by its free radical scavenging properties and ensures a long time antioxidant activity.
37	Feed Supplements Premix	Oxytetracycline HCl : 10 %, Tiamulin Hydrogen Fumerate : 33.33 mg/gm, Electrolytes & antioxidants 3%	1 kg	For better growth, weight gain and FCR in broilers, For the improvement of egg production in layers and breeders
38	Feed Supplements Premix	Each kg contains: Manganese: 80 g, Zinc: 80 g, Iron: 60 g, Copper: 15 g, Selenium 300 mg, Iodine 1g, Calcium Base	25 kg	In case of all minerals deficiency, As a mineral Supplement
39	Feed Supplements Premix	Each kg contains: Manganese: 90 g, Zinc: 90 g, Iron: 90 g, Copper: 10 g, Iodine 1g, Selenium 0.3 g,	24 kg	In case of all minerals deficiency, As a mineral Supplement

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
40	Feed Supplements Premix	Manganese: 90 g, Zinc: 80 g, Iron: 90 g, Copper: 15 g, Selenium 300 mcg, Iodine 2g,	25 kg	In case of all minerals deficiency, As a mineral Supplement
41	Feed Supplements Premix	Each gm contains Phytse 2500 units	1 kg	Optimises the utilisation of available bound phosphorus (phytic acid) in feed
42	Feed Supplements Premix	Picrorhiza Kurroa, Anti Oxidants, Activated Charcoal, MOS, HSCAS, Buffered organic acids	1 kg & 25 kg	Preventing & Protecting from multiple mycotoxins

#### DISINFECTANT, SANITIZER & WATER PURIFIER

Sr. No.	PRODUCT NAME	LABEL CLAIM	PACKING DETAILS	INDICATIONS
1	Disinfectant Solution	Didecylamine Sulphamate Poly (hexamethylene) biguanide (Alkyl) Octyl decyl dimethyl ammonium chloride, Nonyl Phenyl Np9, Corrosion Inhibitors	500 mL, 5000 mL	Disinfectant/ Virucidal-Bactericidal-Sporicidal and Fungicidal approved by NATO in USA, and Ministry of Agriculture, Food and Fisheries, UK
2	Sodium dichloro isocyanurate Tablets	Sodium dichloro isocyanurate (SDIC)	25 tablets in a tin	Water purifier for Poultry, Livestock & Aquaculture
3	Didecyl Dimethyl Ammonium Chloride Solution 15 %	Each mL Contains: Didecyl Dimethyl Ammonium Chloride Solution 150 mg	1000 mL & 5000 mL	Disinfectant
4	Chlorine Dioxide 5 % Solution	Each mL Contains: Chlorine Dioxide 50 mg	1000 mL & 5000 mL	Sanitizer
5	Disinfectant Solution	Formaline solution equivalent to formaldehyde - 15% Strong Glutaraldehyde solution equivalent to Glutaraldehyde - 15% Poly hexa methylene biguanide - 5 %	500 ml 1000 ml 5000 ml	Disinfectant
6	Disinfectant Solution	Potassium Monosulphate compound (Triple Salt ) 50% w/w Chloride Salts - 2% w/w Potentiated with Cationic Ammonium Salts - 3% w/w	100 gm 500 gm 2500 gm	Disinfectant